# Subject Index to Volume 11


A

Acrosin, amidase activity assay, 409
Acrosome reaction
  antisperm antibodies and, 532
  calmodulin in (ram), 25
  egg yolk medium and, 260
  flow cytometric study, 361
  follicular fluid lipid transfer activity and, 216
Acrosome status
  amidase activity assay, 409
  flow cytometric study, 361
  sperm-associated antibodies and, 532
Adenosine monophosphate, cyclic (cAMP)
  in cultured Sertoli cells, hypophysectomy and cryptorchidism and (hamster), 59
  purified Leydig cell production (rat), 379
S-Adenosyl-L-methionine decarboxylase, in Sertoli cells, FSH effect in vitro (rat), 414
AdoMetDC. *See* S-Adenosyl-L-methionine decarboxylase
Adrenal vein, estradiol level, in male hypogonadism, 485
β-Adrenergic receptor, in Sertoli cells (hamster), 293
Age
  influence on power and sensitivity of experiments for assessing body weight, testis size and spermatogenesis in rats, 325
  susceptibility to reproductive damage in spermatic cord torsion and (rat), 506
Amidase activity, in sperm, assay for, 409
Amino acids, in testicular and epididymal luminal microenvironment (rat), 498
Anatomy, intratesticular arteries, 255
Androgen(s)
  Leydig cell secretion in vitro, testicular interstitial fluid factors and (rat), 131
  plasma, coronary artery disease risk in males and, 460
  5α-reduced, peripheral metabolism (rat), 161
Androgen-binding protein, concentration, in rete testis and epididymal fluids (ram), 140
Androgen receptors
  in benign prostatic hyperplasia tissues, 2
  dynamics, in testicular peritubular and Sertoli cells, 514
Antibody(ies), sperm-reactive
  acrosomal status of sperm and, 532
  in anejactulatory males, 396
  immunogold localization of sperm antigens reacting with, 246
Antigens, sperm
  in fertilization, 476
  immunogold localization of, 246
Artery(ies), intratesticular, 255
Atrial natriuretic peptide, in testis (rat), 471

B

B-endorphin, effect on hypothalamic-pituitary-testicular axis (rat), 233
Blindness, in design of experiments for evaluating frozen sperm, 89

C

Calmodulin, in vitro interactions with proacrosin-acrosin system (ram), 25
Calmodulin-binding protein, proacrosin-acrosin system and (ram), 25
Capacitation. *See* Spermatozoa, capacitation
Chemotherapy, cisplatinum-based, testicular function and (rat), 436
Chorionic gonadotropin, human (hCG)
  response of rat testicular interstitial cells to, 379
  stimulation, response of cryptorchid mouse testis, 548
Cisplatinum, testicular function and (rat), 436
Computers, sperm motion analysis, 52
  comparison of two instruments (stallion), 453
Coronary artery disease, in males, plasma estradiol, testosterone and dehydroepiandrosterone sulfate levels and, 460
Creatine kinase activity, spermatozoa, in fertile and infertile oligospermic men, 40
Cryopreservation
  design of experiments for evaluating frozen sperm, 89
  mammalian sperm, 73
Cryptorchidism
  cAMP response of cultured Sertoli cells and (hamster), 59
  experimental
    in adult mouse, light microscopic morphology, 539
    in mouse, hormonal study, 548
    protection against 2,5-hexanedione-induced testicular germ cell loss (rat), 105
Culture studies
  cAMP response of Sertoli cells, hypophysectomy and crytorchidism and (hamster), 59
  guinea pig spermatocytes and spermatids, 120
  Leydig cell cooperation in vitro (rat), 9
  Sertoli cell ODC and AdoMetDC activity, FSH effect on (rat), 414
  superfusion, two-compartment culture system for Sertoli cells, 182
  tumor necrosis factor and interleukin-1 stimulation of testosterone secretion in adult male rat Leydig cells, 353
Cyclosporine. *See also* Immunosuppression
  fertility and (rat), 17
  spermatogenesis and, exogenous testosterone administration and (rat), 491
  testicular function and (rat), 17
Cytochemistry, adult Leydig cell peroxisomes and lysosomes (rat), 270

D

Dehydroepiandrosterone sulfate, plasma , coronary artery disease risk in males and, 460
Dihydrotestosterone, peripheral metabolism (rat), 161
DNA-flow cytometry, quantification of spermatogenic cells (rat), 312

E

Egg yolk medium, acrosome reaction and, 260
Electron microscopy, extracellular tubules in semen, 527
Epididymis
  abnormalities, seminal α-glucosidase activity in, 240
  amino acids in luminal fluid at various sites (rat), 498
  fluid movement in, effect of vasectomy and subsequent vasovasostomy (rat), 422
  protein concentrations in luminal fluid at various sites (ram), 140
  sperm coating antigens, in fertilization, 476
Epinephrine, reactivation of sperm motility (hamster), 66
Estradiol
  nontumorous production, male hypogonadism and, 485

# Subject Index to Volume 11


A

Acrosin, amidase activity assay, 409
Acrosome reaction
  antisperm antibodies and, 532
  calmodulin in (ram), 25
  egg yolk medium and, 260
  flow cytometric study, 361
  follicular fluid lipid transfer activity and, 216
Acrosome status
  amidase activity assay, 409
  flow cytometric study, 361
  sperm-associated antibodies and, 532
Adenosine monophosphate, cyclic (cAMP)
  in cultured Sertoli cells, hypophysectomy and cryptorchidism and (hamster), 59
  purified Leydig cell production (rat), 379
S-Adenosyl-L-methionine decarboxylase, in Sertoli cells, FSH effect in vitro (rat), 414
AdoMetDC. *See* S-Adenosyl-L-methionine decarboxylase
Adrenal vein, estradiol level, in male hypogonadism, 485
β-Adrenergic receptor, in Sertoli cells (hamster), 293
Age
  influence on power and sensitivity of experiments for assessing body weight, testis size and spermatogenesis in rats, 325
  susceptibility to reproductive damage in spermatic cord torsion and (rat), 506
Amidase activity, in sperm, assay for, 409
Amino acids, in testicular and epididymal luminal microenvironment (rat), 498
Anatomy, intratesticular arteries, 255
Androgen(s)
  Leydig cell secretion in vitro, testicular interstitial fluid factors and (rat), 131
  plasma, coronary artery disease risk in males and, 460
  5α-reduced, peripheral metabolism (rat), 161
Androgen-binding protein, concentration, in rete testis and epididymal fluids (ram), 140
Androgen receptors
  in benign prostatic hyperplasia tissues, 2
  dynamics, in testicular peritubular and Sertoli cells, 514
Antibody(ies), sperm-reactive
  acrosomal status of sperm and, 532
  in anejactulatory males, 396
  immunogold localization of sperm antigens reacting with, 246
Antigens, sperm
  in fertilization, 476
  immunogold localization of, 246
Artery(ies), intratesticular, 255
Atrial natriuretic peptide, in testis (rat), 471

B

B-endorphin, effect on hypothalamic-pituitary-testicular axis (rat), 233
Blindness, in design of experiments for evaluating frozen sperm, 89

C

Calmodulin, in vitro interactions with proacrosin-acrosin system (ram), 25
Calmodulin-binding protein, proacrosin-acrosin system and (ram), 25
Capacitation. *See* Spermatozoa, capacitation
Chemotherapy, cisplatinum-based, testicular function and (rat), 436
Chorionic gonadotropin, human (hCG)
  response of rat testicular interstitial cells to, 379
  stimulation, response of cryptorchid mouse testis, 548
Cisplatinum, testicular function and (rat), 436
Computers, sperm motion analysis, 52
  comparison of two instruments (stallion), 453
Coronary artery disease, in males, plasma estradiol, testosterone and dehydroepiandrosterone sulfate levels and, 460
Creatine kinase activity, spermatozoa, in fertile and infertile oligospermic men, 40
Cryopreservation
  design of experiments for evaluating frozen sperm, 89
  mammalian sperm, 73
Cryptorchidism
  cAMP response of cultured Sertoli cells and (hamster), 59
  experimental
    in adult mouse, light microscopic morphology, 539
    in mouse, hormonal study, 548
    protection against 2,5-hexanedione-induced testicular germ cell loss (rat), 105
Culture studies
  cAMP response of Sertoli cells, hypophysectomy and crytorchidism and (hamster), 59
  guinea pig spermatocytes and spermatids, 120
  Leydig cell cooperation in vitro (rat), 9
  Sertoli cell ODC and AdoMetDC activity, FSH effect on (rat), 414
  superfusion, two-compartment culture system for Sertoli cells, 182
  tumor necrosis factor and interleukin-1 stimulation of testosterone secretion in adult male rat Leydig cells, 353
Cyclosporine. *See also* Immunosuppression
  fertility and (rat), 17
  spermatogenesis and, exogenous testosterone administration and (rat), 491
  testicular function and (rat), 17
Cytochemistry, adult Leydig cell peroxisomes and lysosomes (rat), 270

D

Dehydroepiandrosterone sulfate, plasma , coronary artery disease risk in males and, 460
Dihydrotestosterone, peripheral metabolism (rat), 161
DNA-flow cytometry, quantification of spermatogenic cells (rat), 312

E

Egg yolk medium, acrosome reaction and, 260
Electron microscopy, extracellular tubules in semen, 527
Epididymis
  abnormalities, seminal α-glucosidase activity in, 240
  amino acids in luminal fluid at various sites (rat), 498
  fluid movement in, effect of vasectomy and subsequent vasovasostomy (rat), 422
  protein concentrations in luminal fluid at various sites (ram), 140
  sperm coating antigens, in fertilization, 476
Epinephrine, reactivation of sperm motility (hamster), 66
Estradiol
  nontumorous production, male hypogonadism and, 485

plasma, coronary artery disease risk in males and, 460
Estrogens, plasma, coronary artery disease risk in males and, 460
Ethane 1,2-dimethanesulphonate, cytotoxic effect on seminiferous epithelium (rat), 344

F

Feminization, nontumorous hyperestrogenism and, 485
Fertility/infertility
anejaculatory infertility, antisperm antibodies in, 396
antisperm antibodies and acrosomal reaction, 532
cyclosporine effects (rat), 17
design of experiments for evaluating frozen sperm, 89
spermatic cord torsion, reproductive damage and age (rat), 506
spermatozoal degeneration in low-fertility Delaware rooster, 113
sperm creatine kinase activity and sperm fertilizing potential, 40
Fertilization
cysteinyl leukotrienes in (mice/human), 47
epididymal sperm coating antigens in, 476
Flow cytometry. *See also* DNA-flow cytometry acrosome studies, 361
Fluoxetine hydrochloride, pulsatile LH secretion and, 227
Follicle-stimulating hormone
binding to seminiferous tubules, cellular regulation (rat), 336
in cryptorchid mouse, 548
cyclosporine and, exogenous testosterone administration and (rat), 491
effect on ODC and AdoMetDC activities in cultured Sertoli cells (rat), 414
serum, in teratospermia (cat), 204
Follicular fluid, lipid transfer activity, sperm capacitation and, 216

G

Germ cell
circulatory isolation, long-term outcome (rat), 390
2,5-hexanedione-induced loss, protective effect of experimental cryptorchidism (rat), 105
Sertoli cell interactions, FSH binding and (rat), 336
α-Glucosidase, seminal, in epididymal pathology, 240
Glutamate. *See* Amino acids
Gonadotrophs, responsiveness, experimental left varicocele and (rat), 555

H

Hamilton-Thorn Motility Analyzer, 32
2,5-Hexanedione intoxication, testicular germ cell loss in, protective effect of experimental cryptorchidism (rat), 105
6-Hydroxydopamine, testicular function and (hamster), 301
Hyperactivation, 195
Hyperestrogenism, nontumorous, male hypogonadism and, 485
Hyperplasia, prostatic, benign, androgen receptors in tissues, 2
Hypogonadism, nontumorous hyperestrogenism and, 485
Hypophysectomy
cAMP response of cultured Sertoli cells and (hamster), 59
effect on Leydig cell volume, number and proliferation (rat), 367
Hypotaurine, reactivation of sperm motility (hamster), 66
Hypothalamic-pituitary-testicular axis
effect of B-endorphin and naloxone on (rat), 233
endogenous opioid peptide effects on (rat), 233
lead toxicity, duration of exposure and (rat), 521
negative feedback regulation of pulsatile LH secretion, LHRH antagonist treatment and (ram), 287

I

Immunobead assay, antisperm antibodies in anejaculatory males, 396
Immunocytochemistry, adult Leydig cell peroxisomes and lysosomes (rat), 270
Immunogold assay, localization of human sperm antigens reacting with antisperm antibodies in human sera, 246
Immunosuppression, in spermatic cord torsion, effect on contralateral testis (rat), 401
Interleukin-1, in vitro Leydig cell testosterone secretion and (rat), 353
Ischemia, testicular, long-term outcome (rat), 390

L

Lactate dehydrogenase C4, sperm-specific, monoclonal antibodies against (mice), 319
Lead toxicity, male reproduction and, duration of exposure and (rat), 521
Leukotrienes, cysteinyl, in sperm function (mice/human), 47
Leydig cells
androgen secretion in vitro, testicular interstitial fluid factors and (rat), 131
cooperation in vitro (rat), 9
cytoplasmic content, daily sperm production and, 155
lysosomes (rat), 270
morphologic changes in cryptorchidism (mice), 539
peroxisomes (rat), 270
purified, characterization of (rat), 379
responsiveness, experimental left varicocele and (rat), 555
testosterone secretion
in cryptorchid mouse, 548
endogenous opioid peptide effects (rat), 233
tumor necrosis factor and interleukin-1 and (rat), 353
volume, number, and proliferation, effect of hypophysectomy and alterations in spermatogenic function and (rat), 367
LH. *See* Luteinizing hormone
LHRH, gonadotroph responsiveness to, experimental left varicocele and (rat), 555
LHRH antagonists, negative feedback regulation of pulsatile LH secretion and (ram), 287
Light microscopy
experimental cryptorchidism in adult mouse, 539
localization of sperm antigen-antibody reactions, immunogold assay for, 246
Lipid transfer activity, in follicular fluid, sperm capacitation and, 216
Luteinizing hormone
in cryptorchid mouse, 548
cyclosporine and, exogenous testosterone administration and (rat), 491
Leydig cell responsiveness to, experimental left varicocele and (rat), 555
Leydig cell volume and (rat), 367
pulsatile secretion
negative feedback regulation, LHRH antagonist and (ram), 287
serotoninergic system stimulation and, 227
serum, in teratospermia (cat), 204

Luteinizing hormone releasing hormone. *See* LHRH
Lysosomes, adult Leydig cell (rat), 270

M

Meta-analysis, evaluation of frozen sperm, 89
Metabolism
  5α-reduced androgen metabolism by various tissues (rat), 161
  sperm cell, cryopreservation and, 73
Monoclonal antibody studies
  mouse vas deferens protein, 279
  sperm-specific lactate dehydrogenase C4 (mice), 319
Morphology
  sperm
    after swim-up processing (cat), 204
    swim-up preparation and, 446
  sperm head, workers unexposed to toxicants, 32
Morphometry, sperm head, workers unexposed to toxicants, 32

N

Naloxone, effect on hypothalamic-pituitary-testicular axis (rat), 233
Norepinephrine, testicular function and (hamster), 301

O

ODC. *See* Ornithine decarboxylase
Oligozoospermia, epididymal, seminal α-glucosidase activity in, 240
Opiates, pulsatile LH secretion and, 227
Opioid peptides, endogenous, effects on hypothalamic-pituitary-testicular axis (rat), 233
Ornithine decarboxylase, in Sertoli cells, FSH effect in vitro (rat), 414
Osmotic effects, cryopreservation of mammalian sperm, 73

P

Penicillamine, reactivation of sperm motility (hamster), 66
Peritubular cells, testicular, nuclear androgen receptor dynamics in, 514
Peroxisomes, adult Leydig cell (rat), 270
Pituitary gland, Leydig cell volume and (rat), 367
Prostate, hyperplasia, benign, androgen receptors in tissues, 2
Protein(s)
  concentration, in rete testis and epididymal fluids (ram), 140
  mouse vas deferens protein, tissue and species specificity of, 279
  sulfhydryl-rich, in maintenance of sperm flagellar morphology (hamster), 168

R

Randomization, in design of experiments for evaluating frozen sperm, 89
Receptors, androgen. *See* Androgen receptors
Research
  design of experiments for evaluating frozen sperm, 89
  experiments for assessing body weight, testis size and spermatogenesis in rat, influence of age in, 325
Rete testis fluid
  amino acids in (rat), 498
  protein concentrations in (ram), 140
RNA, messenger, atrial natriuretic peptide, in rat testis, 471

S

Selection bias, in design of experiments for evaluating frozen sperm, 89
Semen, extracellular tubules in, 527
Semen analysis, comparison of two computer-automated instruments in evaluation of sperm motion characteristics (stallion), 453
Semen quality, sperm head morphometry, workers unexposed to toxicants, 32
Seminal plasma, α-glucosidase activity, epididymal pathology and, 240
Seminal vesicle, weight, cisplatinum and (rat), 436
Seminiferous tubule
  ethane 1,2-dimethanesulphonate cytotoxicity (rat), 344
  fluid, amino acids in (rat), 498
  FSH binding, cellular regulation (rat), 336
Serotonin, pulsatile LH secretion and, 227
Sertoli cells
  β-adrenergic receptor in (hamster), 293
  endogenous opioid peptide effects (rat), 233
  function, cisplatinum and (rat), 436
  germ cell interactions, FSH binding and (rat), 336
  in vitro cAMP response, hypophysectomy and cryptorchidism and (hamster), 59
  nuclear androgen receptor dynamics in, 514
  number per testis, spermatogenesis and (rat), 429
  ODC and AdoMetDC activity, FSH effect in vitro (rat), 414
  superfusion, two-compartment culture system, 182
Sialylglycoconjugates, release during in vitro capacitation of spermatozoa, 97
Simpson's paradox, in design of experiments for evaluating frozen sperm, 89
Spermatic cord torsion, contralateral testicular degeneration and reduced fertility and
  age and (rat), 506
  immunosuppression for (rat), 401
Spermatic vein, estradiol level, in male hypogonadism, 485
Spermatids
  DNA-flow cytometric analysis (rat), 312
  FSH binding and (rat), 336
  isolation and culture (guinea pig), 120
Spermatocytes
  DNA-flow cytometric analysis (rat), 312
  FSH binding and (rat), 336
  isolation and culture (guinea pig), 120
Spermatogenesis
  alterations in, effect on Leydig cell volume, number, and proliferation (rats), 367
  assessment, experimental design, age and (rat), 325
  cisplatinum and (rat), 436
  cyclosporine effects on (rat), 17
  exogenous testosterone administration and (rat), 491
  ethane 1,2-dimethanesulphonate cytotoxicity (rat), 344
  lead toxicity and, duration of exposure and (rat), 521
  Leydig cell cytoplasmic content and daily sperm production, 155
  Protein synthesis during, in guinea pig spermatogenic cell cultures, 120
  variability in sperm production, testis size and Sertoli cell number and (rat), 429
Spermatozoa
  acrosome reaction. *See* Acrosome reaction

amidase activity, assay for, 409
antibodies. *See* Antibody(ies), sperm-reactive
antigens. *See* Antigens, sperm
capacitating, kinematics, 195
capacitation
follicular fluid lipid transfer activity and, 216
in vitro, sialylglycoconjugates release during, 97
concentration, in rete testis and epididymal fluids (ram), 140
creatine kinase activity, in fertile and infertile oligospermic men, 40
cryopreservation, 73
design of experiments for evaluating frozen sperm, 89
degeneration in low-fertility Delaware roosters, 113
fertilizing capacity, in vitro, cysteinyl leukotrienes and (mice/human), 47
fertilizing potential, sperm creatine kinase activity and, 40
flagellar morphology, maintenance of, sulfhydryl proteins in (hamster), 168
maturation. *See also* Spermatozoa, capacitation epididymal proteins in, 476
proacrosin-acrosin system, calmodulin interaction with (ram), 25
Sperm head morphometry, workers unexposed to toxicants, 32
Sperm immobilization test, antisperm antibodies in anejaculatory males, 396
Sperm morphology
after swim-up processing (cat), 204
swim-up preparation and, 446
Sperm motility
after swim-up processing (cat), 204
analysis
automatic vs manual digitization systems, 52
comparison of two computer-automated instruments (stallion), 453
capacitating spermatozoa, 195
hyperactivation, 195
reactivation, taurine and (hamster), 66
swim-up preparation and, 446
Sperm penetration assay
epididymal sperm coating antigens in, 476
follicular fluid lipid transfer activity and, 216
Steroidogenesis
Leydig cell cooperation in (rat), 9
purified Leydig cells (rat), 379
testicular, cyclosporine effects on (rat), 17
Swim-up preparation, sperm motility and morphology after human spermatozoa, 446
in teratospermia (cat), 204

T

Teratospermia, improvements in sperm motility and morphology after swim-up processing (cat), 204
Testicular artery, 255
Testis
arterial anatomy, 255
atrial natriuretic peptide in (rat), 471
damage to contralateral testis in unilateral spermatic cord torsion, immunosuppression for (rat), 401
DNA-flow cytometric quantification of spermatogenic cells (rat), 312
ethane 1,2-dimethanesulphonate cytotoxicity (rat), 344
extracellular matrix, Sertoli cell barrier formation in vitro and, new culture system for, 182
function
cisplatinum and (rat), 436
6-hydroxydopamine injection and (hamster), 301
norepinephrine injection and (hamster), 301
2,5-hexanedione-induced germ cell loss, protective effect of experimental cryptorchidism (rat), 105
interstitial fluid, amino acids in (rat), 498
interstitial fluid factors, Leydig cell androgen secretion in vitro and (rat), 131
ischemia, long-term outcome (rat), 390
morphologic changes in cryptorchidism (mice), 539
nuclear androgen receptor dynamics in peritubular and Sertoli cells, 514
rete. *See* Rete testis
size
assessment, experimental design, age and (rat), 325
spermatogenesis and (rat), 429
venous blood, amino acids in (rat), 498
Testosterone
in cryptorchid mouse, 548
ethane 1,2-dimethanesulphonate cytotoxicity and (rat), 344
exogenous administration, spermatogenesis in cyclosporine-treated rats and, 491
Leydig cell secretion in vitro
testicular interstitial fluid factors and (rat), 131
tumor necrosis factor and interleukin-1 and (rat), 353
plasma, coronary artery disease risk in males and, 460
secretion, in vitro
Leydig cell cooperation and (rat), 9
testicular interstitial fluid factors and (rat), 131
tumor necrosis factor and interleukin-1 and (rat), 353
serum
lead exposure and (rat), 521
in teratospermia (cat), 204
synthesis, cyclosporine effects on (rat), 17
testicular concentration, 6-hydroxydopamine/norepinephrine injection and (hamster), 301
Tolerance intervals, sperm head morphometry, 32
Transferrin, bidirectional secretion from cultured Sertoli cells, new culture system for, 182
Tray agglutination test, antisperm antibodies in anejaculatory males, 396
Tubules, extracellular, in semen, 527
Tumor necrosis factor, in vitro Leydig cell testosterone secretion and (rat), 353

V

Varicocele, left-sided, gonadotroph and Leydig cell responsiveness in (rat), 555
Vas deferens, protein in (mouse), 279
Vasectomy, fluid movement in epididymis and (rat), 422
Vasovasostomy, fluid movement in epididymis and (rat), 422
Videomicrography, sperm hyperactivation, 195

# Author Index to Volume 11


## A

Acosta, A. A.: *see* Oehninger, S.
Acosta, R.: *see* Oehninger, S.
Ali, H. B.: *see* Guerin, J.-F.
Amador, A. G.: *see* Mayerhofer, A.
Amann, R. P.: *see* Rao Veeramachaneni, D. N.
Anakwe, O. O.: *see* Joshi, M. S.
Andres, R.: *see* Contoreggi, C. S.
Awoniyi, C. A.: *see* Sprando, R. L.

## B

Baer, H. M.: *see* Olds-Clarke, P.
Bala, R.: *see* Seethalakshmi, L.
Bartke, A.: *see* Mayerhofer, A.
Basuray, R., de Jonge, C., Zaneveld, L. J. D.: Evidence for a role of cysteinyl leukotrienes in mouse and human sperm function, 47
Bavister, B. D.: *see* Boatman, D. E.
Berger, M.: *see* Taragnat, C.
Berndtson, W. E., Thompson T. L.: Age as a factor influencing the power and sensitivity of experiments for assessing body weight, testis size, and spermatogenesis in rats, 325
Berndtson, W. E., Thompson, T. L.: Changing relationships between testis size, Sertoli cell number and spermatogenesis in Sprague-Dawley rats, 429
Bernier, P. E.: *see* Froman, D. P.
Bhalla, V. K.: *see* Browne, E. S.
Bielfeld, P., Jeyendran, R. S., Holmgren, W. J., Zaneveld, L. J. D.: Effect of egg yolk medium on the acrosome reaction of human spermatozoa, 260
Blackman, M. R.: *see* Contoreggi, C. S.
Blaquier, J. A.: *see* Sanjurjo, C.
Boatman, D. E., Bavister, B. D., Cruz, E.: Addition of hypotaurine can reactivate immotile golden hamster spermatozoa, 66
Boekelheide, K., Eveleth, J., Hall, S. J.: Experimental cryptorchidism protects against long-term 2,5-hexanedione-induced testicular germ cell loss in the rat, 105
Bouthillier, F.: *see* Koutsilieris, M.
Brown, J. L.: *see* Howard, J. G.
Browne, E. S., Sohal, G. S., Bhalla, V. K.: Characterization of functional leydig cells after purification on a continuous gradient of Percoll, 379
Bush, M.: *see* Howard, J. G.
Buzek, S. W., Sanborn, B. M.: Nuclear androgen receptor dynamics in testicular peritubular and Sertoli cells, 514

## C

Cameo, M. S.: *see* Sanjurjo, C.
Carboni, A. A.: *see* Seethalakshmi, L.
Carmel, M.: *see* Koutsilieris, M.
Chafouleas, J. G.: *see* Frenette, G.
Chamindrani Mendis-Handagama, S. M. L., Zirkin, B. R., Scallen, T. J., Ewing, L. L.: Studies on peroxisomes of the adult rat Leydig cell, 270
Chang, T. S. K.: *see* Cornwall, G. A.
Chastain, S.: *see* Johnson, L.
Chen, Y.-X.: *see* Wang, S.-X.
Clausen, O. P. F.: *see* Purvis, K.
Contoreggi, C. S., Blackman, M. R., Andres, R., Muller, D. C., Lakatta, E. G., Fleg, J. L., Harman, S. M.: Plasma levels of estradiol, testosterone, and DHEAS do not predict risk of coronary artery disease in men, 460
Cook, R. A.: *see* Jansz, G. F.
Cornwall, G. A., Chang, T. S. K.: Characterization of sulfhydryl proteins involved in the maintenance of flagellar straightness in hamster spermatozoa, 168
Corrales, M.: *see* Huszar, G.
Cosentino, M. J.: *see* Heindel, R. M.; *also see* Pakyz, R. E.
Cottinet, D.: *see* Guerin, J.-F.
Cross, N. L.: A modified and improved assay for sperm amidase activity, 409
Cruz, E.: *see* Boatman, D. E.

## D

Dawidowsky, A. R.: *see* Sanjurjo, C.
DeBault, L. E.: *see* Lansford, B.
de Jonge, C.: *see* Basuray, R.
de Kretser, D. M.: *see* Mendis-Handagama, S. M. L. C.
Denil, J.: *see* Menge, A. C.
Desjardins, C.: Editorial, 1
Diamond, D. A.: *see* Seethalakshmi, L.
Domurat, E. S.: *see* Elias, A. N.
Dubé, J. Y.: *see* Frenette, G.

## E

Echeverria, F. G.: *see* Sanjurjo, C.
Eddy, E. M.: *see* Hedger, M. P.
Elhilali, M.: *see* Koutsilieris, M.
Elias, A. N., Valenta, L. J., Domurat, E. S.: Male hypogonadism due to nontumerous hyperestrogenism, 485
Evans, W. S.: *see* Turner, T. T.
Eveleth, J.: *see* Boekelheide, K.
Ewing, L. L.: *see* Chamindrani Mendis-Handagama, S. M. L.; *also see* Keeney, D. S.; *also see* Sprando, R. L.

## F

Fleg, J. L.: *see* Contoreggi, C. S.
Flores, C.: *see* Seethalakshmi, L.
Focarelli, R., Rosati, F., Terrana, B.: Sialylglycoconjugates release during *in vitro* capacitation of human spermatozoa, 97
Foote, R. H.: *see* Jasko, D. J.
Fraser, H. M.: *see* Lincoln, G. A.
Frenette, G., Chafouleas, J. G., Tremblay, R. R., Dubé, J. Y.: *In vitro* interactions of calmodulin with the ovine proacrosin-acrosin system, 25
Friedrich, A.: *see* Vollmar, A. M.
Froman, D. P., Kirby, J. D., Lawler, R. M., Bernier, P. E.: Onset of spermatozoal degeneration in low-fertility Delaware roosters and test for autoimmune basis, 113

## G

Gerber, W. L.: *see* Olds-Clarke, P.
Gerton, G. L.: *see* Joshi, M. S.
Giglio, W.: *see* Huang, H. F. S.
Gleavy, J. L.: *see* Turner, T. T.
Goss, H. F., Jr.: *see* Johnson, L.
Graham, J. K.: *see* Hammerstedt, R. H.
Grondin, F.: *see* Koutsilieris, M.
Grumbles, J. S.: *see* Johnson, L.
Guerin, J.-F., Ali, H. B., Cottinet, D., Rollet, J.: Seminal alpha-glucosidase activity as a marker of epididymal pathology in nonazoospermic men consulting for infertility, 240
Guillou, F.: Characterization of new superfusion, two-compartment culture system for Sertoli cells: Influence of extracellular matrix on the cell permeability and dynamics of transferrin secretion, 182

## H

Haas, G. G.: *see* Lansford, B.
Hall, S. J.: *see* Boekelheide, K.
Hammerstedt, R. H., Graham, J. K., Nolan, J. P.: Cryopreservation of mammalian sperm: What we ask them to survive, 73
Harman, S. M.: *see* Contoreggi, C. S.
Harris, J. M.: *see* Turner, T. T.
Hedger, M. P., Eddy, E. M.: Leydig cell cooperation *in vitro:* Evidence for

communication between adult rat Leydig cells, 9
Heindel, J. J.: cAMP response of cultured Sertoli cells from immature and adult hamsters, 59
Heindel, J. J.: *see* Skinner, T. J.
Heindel, R. M., Pakyz, R. E., Cosentino, M. J.: Spermatic cord torsion: Contralateral testicular degeneration at various ages in the rat, 506
Heindel, R. M.: *see* Pakyz, R. E.
Herbold, D. R.: *see* Stern, J. A.
Hesla, S.: *see* Purvis, K.
Hinton, B. T.: The testicular and epididymal luminal amino acid microenvironment in the rat, 498
Hinton, B. T.: *see* Rao Veeramachaneni, D. N.
Holmgren, W. J.: *see* Bielfeld, P.
Horton, R.: *see* Pasupuleti, V.; *also see* Warren, D. W.
Howard, J. G., Brown, J. L., Bush, M., Wildt, D. E.: Teratospermic and normospermic domestic cats: Ejaculate traits, pituitary-gonadal hormones, and improvement of spermatozoal motility and morphology after swim-up processing, 204
Huang, H. F. S., Pogach, L. M., Nathan, E., Giglio, W.: Acute and chronic effects of cisplatinum upon testicular function in the rat, 436
Huhtaniemi, I.: *see* Kangasniemi, M.
Huszar, G., Vigue, L., Corrales, M.: Sperm creatin kinase activity in fertile and infertile oligospermic men, 40

## J

Jansz, G. F., Cook, R. A., Pomerantz, D. K.: Initial characterization of factors from testicular fluid which alter *in vitro* androgen secretion by normal rat leydig cells, 131
Jarow, J. P.: Intratesticular arterial anatomy, 255
Jasko, D. J., Lein, D. H., Lein, H., Foote, R. H.: A comparison of two computer-automated semen analysis instruments for the evaluation of sperm motion characteristics in the stallion, 453
Jean, Cl.: *see* Taragnat, C.
Jeyendran, R. S.: *see* Bielfeld, P.
Johnson, F. E.: *see* Stern, J. A.
Johnson, L., Grumbles, J. S., Chastain, S., Goss, H. F., Jr., Petty, C. S.: Leydig cell cytoplasmic content is related to daily sperm production in men, 155
Joshi, M. S., Anakwe, O. O., Gerton, G. L.: Preparation and short-term culture of enriched populations of guinea pig spermatocytes and spermatids, 120

## K

Kaipia, A.: *see* Kangasniemi, M.
Kallish, M.: *see* Pakyz, R. E.
Kangasniemi, M., Kaipia, A., Toppari, J., Perheentupa, A., Huhtaniemi, I., Parvinen, M.: Cellular regulation of follicle-stimulating hormone (FSH) binding in rat seminiferous tubules, 336
Kangasniemi, M., Veromaa, T., Kulmala, J., Kaipia, A., Parvinen, M., Toppari, J.: DNA-Flow cytometry of defined stages of rat seminiferous epithelium: Effects of 3 Gy of high-energy x-irradiation, 312
Keeney, D. S., Ewing, L. L.: Effects of hypophysectomy and alterations in spermatogenic function on Leydig cell volume, number, and proliferation in adult rats, 367
Keller, L.: *see* Menge, A. C.
Kerr, J. B.: *see* Mendis-Handagama, S. M. L. C.
Kirby, J. D.: *see* Froman, D. P.
Korte, M. K.: *see* Menge, A. C.
Koutsilieris, M., Grondin, F., Bouthillier, F., Radwan, F., Carmel, M., Elhilali, M., Lehoux, J.-G.: Characterization and partial purification of the 8-9s androgen receptor from benign prostatic hyperplasia tissues, 2
Kulmala, J.: *see* Kangasniemi, M.

## L

Lakatta, E. G.: *see* Contoreggi, C. S.
Lansford, B., Haas, G. G., DeBault, L. E., Wolf, D. P.: Effect of sperm-associated antibodies on the acrosomal status of human sperm, 532
LaRegina, M. C.: *see* Stern, J. A.
Lawler, R. M.: *see* Froman, D. P.
Lehoux, J.-G.: *see* Koutsilieris, M.
Lein, D. H.: *see* Jasko, D. J.
Lein, H.: *see* Jasko, D. J.
Liang, Z.-G.: *see* Wang, S.-X.
Lincoln, G. A., Fraser, H. M.: Negative feedback regulation of pulsatile LH secretion during treatment with an LHRH antagonist in rams, 287
Lopez, T. J.: *see* Turner, T. T.
Lu, Y.: *see* Warren, D. W.
Lui, R. C.: *see* Stern, J. A.
Luo, A.-M.: *see* Wang, S.-X.

## M

Mayerhofer, A., Amador, A. G., Steger, R. W., Bartke, A.: Testicular function after local injection of 6-hydroxydopamine or norepinephrine in the golden hamster (*Mesocricetus auratus*), 301
McCabe, M.: *see* Menge, A. C.
Mendis-Handagama, S. M. L. C., Kerr, J. B., de Kretser, D. M.: Experimental cryptorchidism in the adult mouse: I. Qualitative and quantitative light-microscopic morphology, 539
Mendis-Handagama, S. M. L. C., Kerr, J. B., de Kretser, D. M.: Experimental cryptorchidism in the adult mouse: II. A hormonal study, 548
Menge, A. C., Ohl, D. A., Denil, J., Korte, M. K., Keller, L., McCabe, M.: Absence of antisperm antibodies in anejaculatory men, 396
Menon, M.: *see* Seethalakshmi, L.
Morshedi, M.: *see* Oehninger, S.
Mortimer, D.: *see* Mortimer, S. T.
Mortimer, S. T., Mortimer, D.: Kinematics of human spermatozoa incubated under capacitating conditions, 195
Muller, C. H.: *see* Ravnik, S. E.
Muller, D. C.: *see* Contoreggi, C. S.

## N

Nathan, E.: *see* Huang, H. F. S.
Nolan, J. P.: *see* Hammerstedt, R. H.

## O

Oehninger, S., Acosta, R., Morshedi, M., Philput, C., Swanson, R. J., Acosta, A. A.: Relationship between morphology and motion characteristics of human spermatozoa in semen and in the swim-up sperm fractions, 446
Ohl, D. A.: *see* Menge, A. C.
Olds-Clarke, P., Baer, H. M., Gerber, W. L.: Human sperm motion analysis by automatic (Hamilton-Thorn motility analyzer) and manual (image 80) digitization systems, 52

## P

Pakyz, R. E., Heindel, R. M., Kallish, M., Cosentino, M. J.: Spermatic cord torsion: Effects of cyclosporine and prednisone on fertility and the contralateral testis in the rat, 401
Pakyz, R. E.: *see* Heindel, R. M.
Palmer, J. S.: *see* Rao Veeramachaneni, D. N.
Parvinen, M.: *see* Kangasniemi, M.
Pasupuleti, V., Horton, R.: Metabolism of 5$\alpha$ reduced androgens by various tissues of the male rat, 161
Pasupuleti, V.: *see* Warren, D. W.
Perheentupa, A.: *see* Kangasniemi, M.
Petty, C. S.: *see* Johnson, L.
Philput, C.: *see* Oehninger, S.
Platler, B. W.: *see* Warren, D. W.
Pogach, L. M.: *see* Huang, H. F. S.
Pomerantz, D. K.: *see* Jansz, G. F.
Purvis, K., Rui, H., Schølberg, A., Hesla, S., Clausen, O. P. F.: Application of flow cytometry to studies on the human acrosome, 361

## R

Radwan, F.: *see* Koutsilieris, M.

Rao Veeramachaneni, D. N., Amann, R. P., Palmer, J. S., Hinton, B. T.: Proteins in luminal fluid of the ram excurrent ducts: Changes in composition and evidence for differential endocytosis, 140

Ravnik, S. E., Zarutskie, P. W., Muller, C. H.: Lipid transfer activity in human follicular fluid: Relation to human sperm capacitation, 216

Rollet, J.: *see* Guerin, J.-F.

Rosati, F.: *see* Focarelli, R.

Rosenberger, J. L.: Design of experiments for evaluating frozen sperm, 89

Rui, H.: *see* Purvis, K.

## S

Sanborn, B. M.: *see* Buzek, S. W.

Sanjurjo, C., Dawidowsky, A. R., Cameo, M. S., Echeverria, F. G., Blaquier, J. A.: Participation of human epididymal sperm coating antigens in fertilization, 476

Santulli, R.: *see* Sprando, R. L.

Scallen, T. J.: *see* Chamindrani Mendis-Handagama, S. M. L.

Schieferstein, G.: *see* Wolburg, H.

Schølberg, A.: *see* Purvis, K.

Schrader, S. M., Turner, T. W., Simon, S. D.: Longitudinal study of semen quality of unexposed workers: Sperm head morphometry, 32

Schulz, R.: *see* Vollmar, A. M.

Seethalakshmi, L., Flores, C., Carboni, A. A., Bala, R., Diamond, D. A., Menon, M.: Cyclosporine: Its effects on testicular function and fertility in the prepubertal rat, 17

Seethalakshmi, L., Flores, C., Carboni, A. A., Menon, M.: Quantitative maintenance of spermatogenesis in cyclosporine-treated rats by exogenous administration of testosterone propionate, 491

Shubhada, S., Tsai, Y.-H.: Differential effects of FSH on the activities of s-adenosyl-L-methionine decarboxylase and ornithine decarboxylase in rat Sertoli cells, 414

Simon, S. D.: *see* Schrader, S. M.

Skinner, T. J., Heindel, J. J.: Identification and characterization of a $\beta$-adrenergic receptor in hamster sertoli cells, 293

Smithwick, E. B., Young, L. G.: Solid-phase indirect immunogold localization of human sperm antigens reacting with antisperm antibodies in human sera, 246

Sohal, G. S.: *see* Browne, E. S.

Sokol, R. Z.: The effect of duration of exposure on the expression of lead toxicity on the male reproductive axis, 521

Song, J.-F.: *see* Wang, S.-X.

Sprando, R. L., Santulli, R., Awoniyi, C. A., Ewing, L. L., Zirkin, B. R.: Does ethane 1,2-dimethanesulphonate (EDS) have a direct cytotoxic effect on the seminiferous epithelium of the rat testis?, 344

Steger, R. W.: *see* Mayerhofer, A.

Stern, J. A., Lui, R. C., LaRegina, M. C., Herbold, D. R., Tolman, K. C., Johnson, F. E.: Long-term outcome following testicular ischemia in the rat, 390

Swanson, R. J.: *see* Oehninger, S.

## T

Taragnat, C., Berger, M., Jean, Cl.: Tissue and species specificity of mouse ductus deferens protein, 279

Terrana, B.: *see* Focarelli, R.

Thompson, T. L.: *see* Berndtson, W. E.

Tolman, K. C.: *see* Stern, J. A.

Toppari, J.: *see* Kangasniemi, M.

Tremblay, R. R.: *see* Frenette, G.

Tsai, Y.-H.: *see* Shubhada, S.

Turner, T. T., Evans, W. S., Lopez, T. J.: Gonadotroph and leydig cell responsiveness in the male rat: Effects of experimental left varicocele, 555

Turner, T. T., Gleavy, J. L., Harris, J. M.: Fluid movement in the lumen of the rat epididymis: Effect of vasectomy and subsequent vasovasostomy, 422

Turner, T. W.: *see* Schrader, S. M.

## U

Urban, R. J., Veldhius, J. D.: Effects of short-term stimulation of serotonin-ergic pathways on the pulsatile secretion of luteinizing hormone in the absence and presence of acute opiate-receptor blockage, 227

## V

Valenta, L. J.: *see* Elias, A. N.

Veldhius, J. D.: *see* Urban, R. J.

Veromaa, T.: *see* Kangasniemi, M.

Vigue, L.: *see* Huszar, G.

Vollmar, A. M., Friedrich, A., Schulz, R.: Atrial natriuretic peptide precursor material in rat testis, 471

## W

Wang, H.-A.: *see* Wang, S.-X.

Wang, S.-X., Luo, A.-M., Liang, Z.-G., Song, J.-F., Wang, H.-A., Chen, Y.-X.: Preparation and characterization of monoclonal antibodies against sperm-specific lactate dehydrogenase C4, 319

Warren, D. W., Pasupuleti, V., Lu, Y., Platler, B. W., Horton, R.: Tumor necrosis factor and interleukin-1 stimulate testosterone secretion in adult male rat leydig cells in vitro, 353

Wildt, D. E.: *see* Howard, J. G.

Wolburg, H., Schieferstein, G.: Extracellular tubules in semen, 527

Wolf, D. P.: *see* Lansford, B.

## X

Xiao, B.: *see* Zhou, Z.

## Y

Young, L. G.: *see* Smithwick, E. B.

## Z

Zaneveld, L. J. D.: *see* Basuray, R.; *also see* Bielfeld, P.

Zarutskie, P. W.: *see* Ravnik, S. E.

Zhang, G.: *see* Zhou, Z.

Zhou, Z., Xiao, B., Zhang, G., Zhuang, L.: A study of the effect of B-EP and naloxone on the function of the hypothalamo-pituitary-testicular axis of the rat, 233

Zhuang, L.: *see* Zhou, Z.

Zirkin, B. R.: *see* Chamindrani Mendis-Handagama, S. M. L.

Zirkin, B. R.: *see* Sprando, R. L.


STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 12, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1989. Title of Publication—JOURNAL OF ANDROLOGY; Frequency of Issue—Bi-Monthly; Annual Subscription Price—$165.00; Location of Known Office of Publication—Downsville Pike, Rt. 3, Box 20-B, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—J. B. Lippincott Company, East Washington Square, Philadelphia, PA 19105; Publisher—The American Society of Andrology, 3401 Hillview Ave., Palo Alto, CA 94304; Editor—Claude Desjardins, MD, Department of Physiology, Box 449 Medical Center, Univ. of Virginia, Charlottesville, VA 22908; Managing Editor—Lynda Krumpholz, East Washington Square, Philadelphia, PA 19105; Owner—American Society of Andrology, 309 W. Clark St., Champaign, IL 61820; Known Bondholders, Mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 1,645, actual 1,600; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 1,401, actual 1,153; C. Total paid circulation, average 1,401, actual 1,153; D. Free distribution by mail, carrier or other means. Samples complimentary, and other free copies, average 92, actual 95; E. Total distribution (*sum of C and D*), average 1,493, actual 1,248; F. Copies not distributed 1. Office use, leftover, unaccounted, spoiled after printing, average 152, actual 352, 2. Returns from news agents, none; G. Total (*sum of E & F—should equal net press run shown in A*), average 1,645, actual 1,600. I certify that the statements made by me above are correct and complete. J. Lippincott, *Vice President*.